Welcome to









Thank You Doctor

For Being my prescription to

Happyness





F-24, MIDC NIMBLAK Road, Ahmednagar-414111, Maharashtra (India) Tel. No. 0241-2779079, 9422226369 | E-mail: palsonpharma@gmail.com



Calcivet Forte

Oral Liquid Calcium Supplement

Nutritional Value Per 100 Grm

- Nutritional Supplement of Highly Bio-Available Ca,Ph & Minerals
- With Shatavri & Jeevanti milk enhancing Herbs.
- Improves Milk Yield And Fat Percentage.
- Prevents chances of Rickets, Dystocia, Prolapse, Milk Fever.
- Improves Feed Intake.
- Improves Egg Production and Fertility.
- Prevents Muscular Weakness, Stress Condition.
- Essent Fatty Acids
- Reuse Ofkitley
- Higher Milk Yield
- Homogenous Suspension
- Improves Feed Intake & FCR

Oral Administration

Cows/Buffalos/Horses 100 ml Daily.
Calcives/Sheep/Goats 50 ml Daily.
Poultry 100 ml /100 ml Birds.
Small Animals 10-20 ml Daily



- Ph 1677mg
- Vit.D3 1600 IU
- Vit.B12 200mcg
- Cobalt 40mg
- Iron 200mg
- Manganese 70mg
- Aq.Extract Of
- Shatavari 2000mg
- Jeevanti 600mg



Available Packing: 500ml, 1Ltr., 5 Ltr., 10 Ltr., 20 Ltr., 40 Ltr.

CAVF

Milk-O-Max Forte

Mineral Mixture Powder in Chelated Form

P

- Nutritional Supplement of Highly Bio-Available
 Minerals , Vitamins & Shatavari.
- Covers Mineral Deficiency
- Improves Milk Yield And Fat Percentage.
- Prevents chances of Rickets, Dystocia, Prolapse, Milk Fever, Abortion, Non ROP
- Improves Feed Intake.
- Improves Egg Production and Fertility.
- Prevents Muscular Weakness, Stress Condition.
- Complete Feed Supplement of Minerla Mixture.

Dosage: Oral Administration | Cows/Buffalos/Horses 50-60 grmDaily. Calves/Sheep/Goats 20grm Daily. | Small Animal 10-20 grmDaily. Available Packing: 1kg, 5kg, 25kg



Nutritional Value Per 1 Kg

Ca25.5%

Ph 12.75%

Vit.D3 70000 IU

Vit.A 700000 IU

Vit.E 250 mg

Magnesium 6000 mg

Copper 1200 mg

Cobalt 150mg

Iron 1500 mg

Manganese 1500 mg

Zinc 9600 mg

Selenium 10 mg

Sodium 5.9 mg

Potassium 100 mg

lodine 325 mg

Nicotinamide 1000 mg

Shatavari 70 Grm



MOMX



Ensure Money Return By Higher Milk Production and Better Health.

Lacten Forte Tab



Lactation Tablet For Lactating Animal.

- Specially for Letting down of Milk
- Improves Milk Yield
- To be used to solve
- Drop in Milk due to non ROP
- Milk fever Cases
- Drop in Milk due to FMD
- Drop in milk due to Anti Biotic Treatment.

Nutritional Value Each Tab

- Shatavari 300mg
- Vidarikand 10mg
- Jeevanti 10mg
- Kamboji 10mg
- Ashwagndha 10mg
- Base



Dosage:

Oral Administration 10 to 20 Tabs
Twice a day one hour before Milkout



- For Letting Down of M
- For increasing milk out
- Powerfull Ayurvedic Co
- Faster Recovery in Dair

LCTF

Calcivet Gel

Oral Ionic Calcium Gel

Calcivet gel is a pure Ionic Calcium gel for fast and Insetent "CA serum Labal extended acting calcium gel that helps to minimize chances of hypocalcemia.

Why choose Calcivet gel?

It is 100% non-irritating formula for animals.

Maintains calcium balance

- Pure Ionic Calcium Gel
- One tube 43.5 Grm of Ionic calcium
- 32 GrmCa. serum level in just 2 Hrs.
- Rest 11.5 GrmCa.
 sustained release in 4Hrs
- Irritation Free swaloing

300 Grm drenching Tube



100% Non Irritation Formula

0

Faster
"Ca" Serum
Level
"mg"

Calcivet Gel will be usefull in:

- Milk Fever Cases
- Ca. Drop Down Cases
- After Calving & before Calving
- To increase Milk Yield
- Faster Calcium Serum level

Dosage:

Oral Administration single bottle at a time Repeat after 6 Hrs. | Faster"Ca"Serum level In Dairy Animal use one bottle after every 15 days.



Available: 300gms


Utroclean Liq.

Herbal Uterine Tonic & Powerfull Ecobolic



Each 5ml has Extract of

- CitrullusColocynthis 250mg
- AristolochiaIndica 250mg
- Dashmool 100mg
- Asparasus Racemosus 20mg
- RubiaCardifolia 100mg
- Ashok Chhal 1000mg
- AristolochiaBracteata 250mg
- Smooth & Steady Contraction of Uterus for easy ROP
- Helps for internal secretions for cleansing Uterus.
- Ayurvedic Formulation
- Complete Cleansing of Uterus without bleeding or tissue damage
- Prevents Post-Partum infections or inflammation



Dosage: Oral Administration I For Body Weight above 450kg 500ml at a time. For open Pyometra 150ml / day for 6 days.

For Induction of Heat: 150 ml per day for 6 days from 54th day after parturition.

Available in: 250 ml and 500 ml drenching Bottle



UTLN

Utroclean Tab.



Herbal Combination for Healthy Uterus.

Abortion to flush out exudate

After

Metritis, Endometritis

For Repeat Breeders

Each Tab. Contains

Harmala 75mg
RubiaCordifolia 100mg
Myrth 50mg
LeptadeniaReticulata 100mg
AristolochiaBracteata 75mg
Base

- Cleans draught for retained placenta
- Oral Treatment for Uterine Infection.
- In cases of Repeat Breeding.



Actions:

- Ecobolic
- Sedative
- Anti-inflammatory
- Restoractive
- Genito urinary Antiseptic,
 Antibacterial & Disinfectant

Dosage: Oral Administration 10 to 20 Tabs Twice a day Available: 100 Tab Box.

UTCT

GroVit-H



Vitamin Liquid feed supplement

Grolact is a powerfullantistress liquid Liquid feed supplement of Vitamins for cattle and poultry.

Why choose GroVit-H?

Special Formula helps to improve udder health for maximum milk production

Composition:

- Vitamin H
- Ele.Selenium
- Vit.A, Vit.E, Vit.B12,

Vit.D3

Features:

- To remove stress
- Improves udder health
- Increase milk production
- Prevents mastitis
- Stops hair loss
- Improves fertility of breeding cattle's & bulls

Available:

Bottle of 30ml 60ml and 500ml



Presentation: 50ml, 100ml, 250ml, 500ml, 1litre

GVTH

Grolact-Liquid

Vitamin feed supplement



Grolact is a powerfullantistress liquid vitamin supplement for cattles and poultry animals.

Why chooseGrolact Liquid?

It helps to reduce stress and boost immunity that aids in proper growth.





Composition:

Vit.A Vit.D3 Vit.E Vit.B12

Usage: 6

To remove stress

- Immuno-stimulant
- Better fertility
- Healthy pregnancy
- Increased milk production
- Keeps udder healthy

Dosage:

Poultry chicks 5ml/100 birds • Growers 7ml/100 birds Layers 10ml/100 birds • Large animals-20ml daily Small animals-5ml daily • Dogs/Cats-2-3ml daily

Available:

Bottle of 30ml 60ml and 500ml

GRCT

Boostovet Bolus

Prebiotics with Yeast & Liver Extract



After
Deworming
Optimizes
Rumen
Function

Increases Rumen Microflora Diarrhoea or Constipation Improves Fiber Digestion

Improves Feed intake

Along with Antibiotics

Removes Stress

Each Bolus Provides:

Live Yeast Culture 3 Grm

Amino Acids 2 Grm

Live Lactobacillus Sporagenes Culture 20 millions CFU

Liver Extract 5mg

- Powerful Digestive Bolus.
- Promotes the Activity of Rumen Microflora to regulate Gastro intestinal secretion and the flow of Enzymes to correctdigestion And restore appetite.
- To Settle indigestion & to enhance appetite quickly.
- To cure dyspecia& anorexia.
- To Correct Nutritional disorder.

Dosage: 2 Bolus Twice a Day for 3 to 5 Days.

Packaging: 4 Bolus x 10 Strip



BSTV

Ment-pH

Normalizing gastiric pH



A sodium Bi carbonate Bolus for normalizing gastric pH

Why choose Ment-pH?

It ensures the maintenance of normal intestinal functions.

Indications:

- Helps to maintain pH of animal body after any medical treatment.
- Helps to improve Ruminal physiology
- Helps in digestion and assimilation of food
- Constipation
- Gastritis

Dosage:

- Large Animals: 2 to 3 bolus twice a day for 2 to 4 days
- Small Animals : to 1 bolus twice a day for 2 to 4 days

Presentation:

4 bolus X 1 strip 10 strips X 1 box








A Unique Combination of fast digestion for Ruminants



Florazyme Powder





Recommendations:

Effective Apetite Enhance

- Anorexia
- Indigestion
- Bloat
- Persistent Diarrhoea
- Debility
- After vaccination & deworming
- Ruminal Impaction

Composition:

100 gm Sachet Contains:

- Soda Bicarbonate
- Live Yeast Culture
- Amino Acids
- Live Lactobacillus Sporogenes
- Culture 20 million CFU
- Minerals & Vitamins
- Sonth, Ajwain, Rock Salt

BENEFITS:

Florazyme Improve feed utilization.

Florazyme trigger the activity of Ruminal Microflora.

Florazyme Increase quantity of Microflora.

Florazyme Improve milk production.

Florazyme corrects Anorexia.

Florazyme Improves digestion.

Florazyme Maintains normal Ruminal PH.


Florazyme reduces panting.

Dosage:

Large Animals: 15-20 gm per day In case of Enteritis & Impaction:

Large Animals- 200-300 gm twice a day Small Animals- 50-100 gm twice a day or as directed by the Veterinarian





FLZM



Heaton

To generate heat in animals



Heaton is combination of herbs and minerals use to generate heat in animals.

Why choose Heaton?

It is a powerful combination to increases chances of fertilization.



- Gajar bees
- Pandharimoharee
- Balantshepa
- Kalonji
- Shivlingi

Dosage:

2 bolus at one time with co-cu strong for minimum 4 days

Features:

- Ovulatory heat is induced
- Maximum chances of Fertilization

Very effective in repeat breeders

Avilable in: 2 Bolus Pouch





After-Al

Increasing Conception Ratio & In Time Heat



Covers
Mineral
Deficiency

Silent Heat Developed
Ovaries
and
Folicle

Highest
Conception
in Repeat
Breeders.

Zn,Co,Cu in Chelated Form



Nutritional Value Per 200 Grm

Vit.A 10 Lac IU

Vit.D3 1 Lac IU

Vit.E 350 mg

Copper 1600 mg

Cobalt 185 mg

lodine 325 mg

Zinc 10000 mg

Manganese 3500 mg

Selenium 30 mg

Iron 1500 mg

- Nutritional Supplement of Highly Bio-AvailableMinerals& Vitamins.
- With fertility enhancing Minerals in Chelated form.
- Improves Conception Ratio.
- Prevents chances of Repeat Breeding.
- Improves Feed Intake.
- Improves Follicle Production and Fertility.

Dosage:

Oral Administration 10 Grm
Twice a Day Before And After AI.

Available: 200 Grm, 400 Grm.

Recommended in each and every AI one Pack before & After AI.

AFAI

Nimpavet

Paracetamol and Nimesulide bolus



Nimpavet to treat fever, inflammation and pain

Composition:

Each uncoated bolus contains

Paracetamol IP 1500mg
Nimesulide BP 400mg
Excipients Q.S.



Future:

- Pain
- Inflammation
- Fever

Dosage:

Large Animals: 2 to 3 bolus twice a day for 2 to 4 days Small Animals: to 1 bolus twice a day for 2 to 4 days

NIP

Presentation:

4 bolus X1 strip 10 strips X1 box

SEKRAS()



The Most Powerful Anti-inflammatory, Antipyretic & Analgesic Combination

Serrason is a combination of Nimesulide, Paracetamol, Serratiopeptidase & Magnesium Trisilicate and is an anti-inflammatory, analgesic, antipyretic & anti-allergic.

Paracetamol: also known as Acetaminophen, chemically named N-Acetyl-p-Aminophenol, is a widely used over-the-counter analgesic (pain reliever) and antipyretic (fever reducer).

Serratiopeptidase: is an enzyme isolated from a non-pathogenic bacteria called enterobacteria

MECHANISM OF ACTION:

Nimesulide: is an inhibitor of cyclooxygenase so it inhibits synthesis of destructive prostaglandins and spares cytoprotective prostaglandins.

Paracetamol: is a valuable central analgesic but weak peripheral anti-inflammatory agent and exhibits antipyretic action.

Serratiopeptidase: helps to reduce pain by blocking the release of pain-inducing molecules from inflamed tissues.

Magnesium Trisilicate: Antacid & gastric sedative. Have Laxative Effect. Relief from symptoms of dyspepsia (indigestion).

Cetirizine Hydrocloride: Treat Urticaria. Dermatitis. Treat Pruritus. Insert - Bite Reaction.

Indications:

Fever, Acute & Chronic Inflammation Painful Condition Lameness,

Sprain Etc.

Dosage:

Large Animal: 1-2 bolus per day or as directed by the veterinarian.

Composition:

Each uncoated bolus contains:

Nimesulide B.P. 500 mg Paracetamol I.P. 1000 mg Serratiopeptidase I.P. 75 ma Magnesium Trisilicate I.P. 50 mg Cetirizine HCL I.P. 25 mg



SRSN

Presentation: 1 x 4 Bolus

Dysenta

Natural Anti-Diarrhoeal therapy



Dysentais quick and natural anti-diarrhoeal therapy for young and adult animal.

Why choose Dysenta?

Diarrhoea is very common in animals which adversely affects growth, production and energy.

Dysenta has been formulated as quick natural and rational therapy for various types of diarrhoea.

Composition:

Furazolidone IP	500mg
Metronidazole IP	300mg
Excipients	
Q.S.	



Indications:

- Helps in restoration of digestion
- Antibacterial, antiseptic
- Antispasmodic
- Normalize peristalsis

Dosage:

2-4 bolus twice a day or as directed by veterinarian.

Presentation:

4 bolus X1 strip 10 strip X1 box

DYST

Dysenta-L(



METRONIDAZOLE, FURAZOLIDONE & LOPERAMIDE HCI

BOLUS: is used in the treatment of diarrhea or enteritis caused by bacteria. Medicine is also used in the treatment of typhoid fever and salmonella infections. The medicine contains Metronidazole Furazolidone & Atropine as active ingredients. Due to its effectiveness and nominal side effects, it is widely demanded in the marketplace.



INDICATIONS:

- Calf Scours, Diarrhoea,
- Enteritis, Dysentry & Dehydration

DOSAGE:

Large Animals: 2 Bolus B.D. Small Animals: 1 Bolus B.D.

Composition:

Each uncoated bolus contains:

Metronidazole 1000 mg

Furazolidone 500 mg

Loperamide HCL 75 mg

PRESENTATION: 10 x 4 Bolus



Glucopal

Instant & sustained energy



Glucopal provides instant & sustained energy for faster recovery in energy deficient animals.

Why choose Glucopal?

Glucopal is fortified with B-complex vitamins thus providing additional benefits.

Features:

- Optimizes the availabitilty of energy during calving and pregnancy.
- Supports in maintaining normal glucose level in all energy deficient conditions
- Higher lactation yield
- Energy boosting
- In poultry reduces chicks mortality

Composition:

- Glucogenic precursors
- Fortified with B complex and vitamins
- Minerals and taste enhancers.

Usage:

For cattle: 200ml once daily For sheep and goats: 20-30ml daily Broiler and layer: 10ml/100 chicks 20ml/100 birds Once a week



Presentation: 600 ml drenching bottle.

The Complete Health Formula

Co-Cu Strong

Mineral Tablets

COST

INDICATIONS:

- Helps to Increase Milk Production
- Improve the Secretion of Milk
- religious Helps to Let Down of Milk
- Helps to Development for Udder
- Helps to treating Liver Disorder

SYMPTOMS IN CATTLE LIKE:

- Leaky teats in cow
- Fatty liver condition
- No Milk ley down from one quarter of Udder

DOSAGE:

Large Animals: 1 Tablet BID Small Animals: 1/2 to 1 Tablet BID or as directed by the veterinarian



PRESENTATION:

10 Tablets

Max-Heal Spray

Antiseptic spray



Max-Heal spray is an Antifungal, Antiseptic, Anti-pruritic, Anti-inflammatory, Fly-repellent spray for animals.

Why choose Max-Heal Spray?

It is an Ayurvedic formula hence highly safe in comparison to synthetic sprays.

Composition:

Neem oil		25.00 V/W
Karanjile		15.00 V/W
Serala		7.00 V/W
Tailapama		5.00 V/W
Devadaru		2.00 V/W
Bhutina		5.00 V/W
Haridra		2.00 V/W
Excipients	propellant	100.00
q.s. to coloring agent		

Direction for use:

Clean the affected area spray the required quantity once daily or as directed by the veterinari

Indications:

- Fly repellent
- Maggotedwonds
- Deep seated wounds (FMD wounds)
- Deep penetrated & wide spread wounds

Presentation: 100ml spray bottle





MXHS

MaxHeal Ointment

Wide spectrum skin ointment



Maxheal is an Antifungal, Antiseptic, anti-inflammatory, Fly-repellent cream for animals.

Why choose Maxheal?

It is an ayurvedic formula and does not cause tissue irritation, allergic reaction or topical toxicity.

Indications:

- Mange, ringworm, eczema,
- dengulla and other fungal infectionFoot-rot in sheep and foot lesions in FMD
- All types of wounds including surgical woundsand burns.

Composition: Each 50gm Contains:

Cedrusdeodara	25%
AzadirachatIndica	9%
PongamiaGlabra	4%
Ointment base	Q.S.

Direction for use:

Clean the affected part and apply maxheal once or twice a day or as advised by veterinary doctor.



мхнс

Albez

Broad Spectrum Anthelmintic



Composition: Each ml contains

- Albendazole IP 25mg
- Excipients q.s.
- Flavoured syrup basea

Features:

- Micronized suspension
- Anthelmintic
- Control and treatment of gastrointestinal and pulmonary nematodes, cestodes and trematodes.

Why choose Albez?

Albenz oral suspension ensures complete protection from all types and life stages of worms.

Presentation:

30 ml, 60 ml, 90 ml & 500 ml

Dosage:

5mg micronized albendazole per kg of body weight OR Large animal: 60 to 90ml Small Animals: 5 to 10ml Dogs/cats: 3-5ml BD for 3 days

ALBEZ ORAL SUSPENSION IS A
BROAD SPECTRUM ANTHELMINTIC



ALBZ

Effective Fighter as Safest Dewormer



- Gastrointestinal Nematodes
- Lung Worms
- Nasal Schistosomes
- Amphistomes
- Liver Flukes of liverstock

Beneficial for milk production

Protonionophone with flukcidal actcion

OXYLEV-DS

Oxyclozanide 6% & Levamisole HCL 3% Suspension



Support against fluke infection

Effectively inhibits enzymatic processes influkes as acid phosphatese and alkaline phosphate widely distributed in tegumental tissue of flukes

Effective against nematodes and trematode and controls the all stages of ostertagia

Dosage:

0.33 ml Oxylev-DS per kg body weight fo Cattle, Sheep and Goat

Cattle:

Drench 33 ml for live weight of 100kg and 16.5ml for every additional 50kg body weight upto maximum 0f 100ml

Sheep and Goats:

5ml Upto 15 kg 10ml upto 30kg 15ml upto 45 kg 20ml (Maximum dose) above 45kg

Best dewormer to eradicates A to Z worms





OXDS

Closen 15

Closantel 15% Oral Solution



Broad spectrum anthelmintic for treatment of Endoparasites&Ectoparasites.

Why choose Closen 15?

Closes the life of blood sucking worms & liver flukes simultaneously.

Composition:

Each ml contains

Closantel 15mg Excipients Q.S.

Indiction:

- Poor growth rate
- For liver fluke eradication
- For ectoparasite eradication
- For eradication of gastro intestinal round worms
- Residual efficacy on wireworm and hookworm

Dosage:

Sheep and goats for end oparasites & ectoparasites 1 ml/15-20kg body weight For immature and adult Liver flukes,
Nasal schistosomes 1ml per 10-15kg body weight.
Or as directed by veterinarian.



250ml & 500ml



CL15

Cefti-S

Ceftriaxone & sulbactam Injection



Cefti-S is used for treatment of bacterial infections

Why choose Cefti-S?

It is a highly effective injection for bacterial infections.

Composition:

Ceftriaxone sodium 3000mg

I.P.(sterile) Eq. to anhydrous

ceftriaxone

Sulbactamsodium U.S.P. 1500mg (sterile) Eq. to anhydrous sulbactam

Direction for use:

Prepare solution by dissolving the content of the vial with sterile water for injection IP. The constituted solution should be used immediately after prepration.

Indications:

- Mastitis
- Pneumonia
- Metritis
- Other soft tissue infection associated with septicaemia

Dosage:

As advised by the veterinarian

Presentation:

Dry injection + WFI 3 gm & 4.5 gm





CFTS

BC-LIV





Why choose BC-LIV?

Can be used as supportive treatment during antibiotic and anthelmintic treatment.

Composition:

Each ml contains:

Thiamine Hydrochloride IP	10 mg
Riboflavin IP	3 mg
NiacinamidelP	100 mg
Vitamin B12 IP	10 mcg
Liver injection crude	0.66 ml
(Having Vit.B12 activities	
not less than2 mcg/ml of	
Cynocobalmin)	
Phenol (As Preservative) IP	05%w/v
Water For Injection IP	q.s.


Indications:

- Live fluke infestation
- Fatty degeneration of liver
- Other Vit.B-complex deficency conditions
- Supportive during pregancy, lactation

Presentation:

BC-Liv injection is available in multi dose vials of 100 ml.





BCLV

MeloMax

Anti-inflammatory



MeloMax is an injection indicated for anti-inflammatory purpose and alleviation of pain in animals.

Composition:

Each ml contains

Meloxicam I.P. 5mg

Benzyl alcohol I.P. 2%v/v

(as preservative)

Water for injection

Indications:

- Metritis
- Mastitis
- Pneumonia
- Respiratory inflammations
- Myositis
- Musco skeletal disorders

Dosage:

As directed by veterinarian



MLMX



Well Trusted Safe NSAID



MELOX-Pson Injection

(Meloxicam 5mg + Paracetamol 150mg

Meloxicam: Anti-inflammatory; Selective COX-2 Inhibitor

Paracetamol: Anti-pyretic, Analgesic


INDICATIONS:

- 1. Post operative Pain & Inflammation
- 2. Traumatic injuries
- 3. Myositis (inflammation of the muscles)
- 4. Prior to dehorning
- 5. Supportive therapy in Mastitis
- 6. Pyrexia of unknown origin



DOSAGE:
As Directed by Veterinarian

Available Pack: 100 ml



MPSN

"MELOX-Pson" For Daily Regular Use...

For Pain and Fever

N-PSON

Injection

(Nimesulide 100mg + Paracetamol 150 mg)/ml

- Nimesulide: Bioavailability of Nimesulide after I.M. administration is 89.42% (Journal of Bioequivalence and Bioavailability (2009))
- Paracetamol: A Clinically proven analgesic / antipyretic

INDICATIONS:

- PUO (Pyrexia of Unknown Origin)
- Inflammatory conditions- Mastitis, Arthritis, Laminitis
- Post-operative surgical inflammatory conditions
- Musculoskeletal disorders
- Pain and Fever During **FMD** (Foot & Mouth Disease) and **LSD** (Lumpy Skin Disease)
- Lameness

DOSAGE:


As Directed by Veterinarian

Available Pack: 100 ml

Onset of Action 15 minutes







NPSN

Enroson

Long Acting Antibiotic



Enroson is a long acting antibiotic.

Why choose Enroson?

Assures long term bactericidal effect.

Composition:

Each ml Conatains:

Enrofloxacin I.P. 100 mg

Benzyl Alcohol I.P.1.5 v/v

WFI I.P. q.s.

Indications:

Various bacterial infections

Dosage:

As directed by veterinarian

Presentation:

30ml, 50ml, 100ml glass vial



ENSN

STREPTOSON

2.5 GM

Indications:

Infections caused by microorganisms susceptible to penicillin or, streptomycin like respiratory, uterine & alimentary tract infections, mastitis, osteomyelitis, peritonitis, septicemia, cystitis, joint-ill and secondary bacterial infections in horses, cattle, pigs, foals, calves, sheep & goats.

Dosage & Administration:

For Intramuscular administration:

Large animals: 2-3 ml/50 kg body weight daily IM for 3-5 days. Small Ruminants: 1ml/10 kg body weight daily IM for 3-5 days. Small animals: 0.5-1.5 ml/5-10 kg body weight daily IM for 3-5 days.



Presentation: 2.5 gm


STRS



Lice, Mites & Fleas

Shield dairy animals from Ticks, Aat-Tak 12.5% ECAmitraz Dip Concentrate 125 mg Liquid IP (Vet.)

Attacks by specifically inhibiting Monoamine Oxidase, thereby paralyzing the nervous system of ticks















Animals's Comfort to Improve Production.

A Non-Systemic Acaricide, insecticide Against Mite- or Tick-infection



Used on

• Cattle • Goats • Sheep • Pigs • Dogs

Applications Method

Dissolve 10 ml Aat- Tak12.5% EC liquid in 5 litre of water, soak a piece of cloth & completely wipe on whole body

Cattle heavily infested with ticks (mean tick counts of about 800) dipped once weekly in Amitraz showed re-infestation rate reduce to zero after ninth dipping



50 ml Alluminium Bottle



ATTK

Mauli Licks

Mineral bricks



High quality mineral salt brick formulated for meat and milk producing livestock including cattle, goats, sheep.

Why choose Mauli licks?

Its unique formula of different minerals help to improve appetite and digestion, increases immunity, stronger bones and faster growth in animals.

Features:

- Improves electrolytes in stressed animals
- Improves fertilityfast growth and maturity, and improves over all health.
- Improves milk yield
- Improves salivary secretion to keep the pH stable in digestive system

Direction for use:

Clean the affected part and apply maxheal once or twice a day or as advised by veterinary doctor.

Composition:

- Salt
- Iron
- Copper
- Manganese
- Calcium p
- Phosphorus



MLKS

restore liver function

LIVOCURE Liver Tonic

P

A unique combination of Liver Boosting and Appetite Stimulant Herbs with Liver Extract,

Iron Tonic, Amino Acids & Vitamin B Comlex

Benifits

Improves Liver Health & Functions
Protects Liver from Various Toxins
Improves Appetite, FCR & Growth rate
Prevents Fatty Liver Syndrome

Helps in Better Feed Intake and Nutrient metabolism,
Provides Optimum Grwth, FCR, and Protein Synthesis
Helps in Metabolism, Liver Functions & Provides Energy

Dosage:

Large Animal 100 ml daily Small Animal 20 - 50 ml daily Poultry (For 100 Birds) Chicks 5-7 ml. for 5-7 days Grower / Broilers 10-15 ml. for 5-7 days Layers 20-25 ml. for 5-7 days Fish 10 ml. per kg. of feed.











LVCR







MASTILEAV

Cephalexin + Neomycin Sulphate + **5 gm**Predinosolone Intrammary Infusion for Mastitis

An appreciated formulations to treat severe conditions...

Benefits:

Dry Cow Therapy Clinical Mastitis Subclinnical Mastitis

Cephalexin, Neomycin Sulphate, Predinosolone

- Mastileav is Antimicobial And Anti-Inflammatory Intrammary Infusiuon That is Effective Against Gram+ve, Gram-ve Organisms
- Mastileav is Helpful to Reduces The Number Of Bacteria in the Colon
- Mastileav improves The Blood Glucose level Which is Most Desired Proposition in infections
- Mastileav Stabilizes Vascularity Of Epithelial Membranes.

Usage- For Intrammary

For Cattle And Buffalow- One Syringe 5 gm per Affected Quarter After Every 12 Hours or As Directed By Veterinaian

For Sheep And Goat- Half Syringe 2.5 gm per Affected Quarter After Every 12 Hours or As Directed By Veterinarian

Each 5 gm Disposable Prefilled Syring Contains

Cephalexin IP Equivalent to Cephalexin (Anhydrous)-100 mg Neomycin Sulphate IP -100 mg+Predinisolone IP-10 mg **Packing:** 5 gm Intrammary Infusion



Mineral + Vitamin + Shatavari

CALCIVET GOLD



Each Bolus Contains

1628mg
838.5mg
8000 IŪ
100mcg
20mg
100mg
35mg
100mg
300mg

INDICATIONS:

- Milk Enhancer
- Stress Reliever
- Galactagogue
- Bone Strengthening
- Pica
- Calcium & Phosphorus Deficiency



DOSAGE:

Large Animals: 2 Bolus B.D.
Small Animals: 1/2 to 1 Bolus B.D.

or as directed by the veterinarian

PRESENTATION:

10 x 4 Bolus

